

View this machine and more at:

https://www.thesewingstudio.co.uk



Innov-is

Turn heads with the sleek and stylish Innov-is F560

FEATURES INCLUDE: 3.7" COLOUR TOUCHSCREEN

241 SEWING STITCHES
10 BUTTONHOLES

5 LETTERING FONTS





Designed for the designers, let us introduce the Innov-is F560.

Whether you've been sewing for a while, or are just starting out, the advanced needle threader, drop-in bobbin and easy to thread system make this machine so simple to use.

See your style come alive on the colour LCD screen and make your unique mark with My Custom StitchTM.

Create anywhere, any how, any way. The Innov-is F560's hard case makes safe travel and storage a cinch.

3.7" (9.4cm) colour touchscreen

241 sewing stitches, including 10 buttonholes, plus 5 lettering fonts (capitals and lowercase)

7.4" (190 mm) workspace

Advanced needle threader and auto thread cutter


Multi-directional sewing, sideways feeding and SFDS

Automatic upper thread tension

My Custom Stitch™

USB port

Hard case





Colour LCD touchscreen



Advanced needle threader



241 built-in sewing and decorative stitches

Sew sophistication

...on the Innov-is F560 with 241 utility and decorative stitches, including 10 one-step buttonholes. Words come easily when you have 5 lettering fonts at your fingertips.

Expand your portfolio even further with My Custom Stitch™. Design your own decorative stitches directly into your machine using the colour LCD touchscreen. Save them to use across a whole range of makes. With four-way side feeding decorative stitches are precise and crisp.

Professional finishes come as standard with Brother's innovative Square Feed Drive System (SFDS), giving you superior quality, strong stitching on any fabric. Adjustable foot pressure helps you sew pucker-free seams on even the most stretchy of fabrics. Now there's no need to avoid 'difficult' materials.

With a central panel including slide speed control, lockstitch, needle up/down button, thread cutter and start/stop button, precision control comes as standard.







Central controls



One-step buttonholes



Free arm sewing



We've built the Innov-is F560 to be a strong and reliable quilting partner.

With a superior stitch quality and auto thread tension you won't need to worry about the durability or look of your stitches.

Keep your hands on your quilt and your mind on the task with the included knee lift. With more control, the precision needed for perfect quilts is in your hands.

Easy-to-access drop feed gives you ultimate freehand stitching control.

The Quilting Kit* (QKF3), which comes with a wide table and a selection of quilting feet, makes large projects a breeze. It includes a quarter inch piecing foot and quilting guide (plus more!), which will help you get the straightest of stitches and sharpest of corners.

*additional purchase required





Compare the Innov-is F-series family

LCD touchscreen colour LCD touchscreen colour colour colour set touch LCD touchscreen colour LCD touchscreen colour LCD touchscreen colour colour set touch LCD touchscreen colour LCD touchscreen colour LCD touchscreen colour colour set touch LCD touchscreen colour colour colour set touch LCD touchscreen colour c	Features	Innov-is F420	Innov-is F560	Innov-is F540E	Innov-is F580
Number of sewing stitches* 140 241 Buttonholes 10 10 10 10 Built-in lettering styles (sewing) 5 (capital letters only) 5 Built-in lettering styles (sewing) 5 (capital letters only) 5 Built-in embroidery patterns Built-in embroidery patterns Built-in embroidery frame patterns Built-in embroidery stites and a salvanced advanced a	Type of screen	LCD screen	LCD touchscreen colour	LCD touchscreen colour	LCD touchscreen colour
Buttoninoles	Display size	3.5"	3.7"	3.7"	3.7"
Bullt-in lettering styles (sewing) 5 (capital letters only) 5 13 13 13 13 13 193 193 193 193 193 194 140 1	Number of sewing stitches *	140	241		241
Built-in lettoring styles (embroidery) 13 13 13 13 13 13 13 1	Buttonholes	10	10		10
Built-in embroidery patterns Built-in embroidery frame patterns Redele threading system advanced Automatic thread cutter Colour sorting Jump stitich trimmer SFDS (Square Feed Drive System) Adjustable presser foot pressure electronic ele	Built-in lettering styles (sewing)	5 (capital letters only)	5		5
Built-in embroidery frame patterns Needle threading system advanced advanced advanced advanced advanced advanced advanced Automatic thread cutter V V V V V V V V V V V V V V V V V V	Built-in lettering styles (embroidery)			13	13
Needle threading system advanced advanced advanced advanced advanced advanced Automatic thread cutter **Y **Y **Y **Y **Y **Y **Y **Y **Y *	Built-in embroidery patterns			193	193
Automatic thread cutter Colour sorting Jump stitch trimmer SPDS (Square Feed Drive System) Adjustable pressure electronic electronic electronic electronic electronic electronic electronic ockstitch button Y Wilt-directional sewing Y (up to 4 sideways) Adjustable thread tension manual automatic automatic automatic electronic slide speed control Y Combine stitches Y Y Electronic slide speed control Y Automatic slideways) Automatic automati	Built-in embroidery frame patterns				
Colour sorting Jump stitch trimmer SFDS (Square Feed Drive System) Adjustable presser foot pressure electronic electronic electronic electronic Lockstitch button Adjustable presser foot pressure electronic electronic electronic Lockstitch button Adjustable presser foot pressure electronic electronic Lockstitch button Adjustable presser foot pressure electronic electronic Lockstitch button Adjustable presser foot pressure electronic electronic electronic Lockstitch button Adjustable presser foot pressure electronic sewing Adjustable thread tension manual automatic automatic automatic electronic silde speed control Adjustable thread tension Adjustable t	Needle threading system	advanced	advanced	advanced	advanced
Jump stitch frimmer SFDS (Square Feed Drive System) Adjustable presser foot pressure electronic electronic electronic Lockstitch button Y Wutt-directional sewing Adjustable bresser foot pressure electronic Lockstitch button Y Wutt-directional sewing Adjustable thread tension manual automatic automatic electronic slide speed control Combine stitches Y Speed control customised for zig-zag width Y Automatic reverse/ reinforcement stitch Y Automatic reverse/ reinforcement stitch Y Wy Custom Stitch W Repated single sewing Y Automatic reverse/ reinforcement stitch Y Wy Custom Stitch Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Mechanical dual feed (walking foot) Optional Mechanical dual feed (walking foot) Optional Mechanical dual feed (walking foot) Optional Adv Y Y Y Y Y Y Y Y Y Y Y Y Y	Automatic thread cutter	✓	✓	✓	✓
SFDS (Square Feed Drive System) Adjustable pressure lelectronic electronic electronic Lockstitch button Y Y (up to 4 sideways) Adjustable thread tension manual automatic automatic automatic Electronic slide speed control Y Combine stitches Y Speed control customised for zig-zag width Repeated single sewing Y Automatic reverse/ reinforcement stitch Y Wirror imaging Y Y Wy Custom Stitch™ Realistic preview of the patterns Patterns - size change, rotation, mirror, Font size selection (L-M-S) Text editing functions - multiple line text input Free motion embroidery Multi-directional seving Y Y Would stable presser foot pressure electronic	Colour sorting			✓	✓
Adjustable presser foot pressure Lockstitch button V V V V Multi-directional sewing Adjustable thread tension manual automatic Electronic slide speed control Combine stitches V V V V V V V Combine stitches V Speed control customised for zig-zag width V Repeated single sewing V Automatic reverse/ reinforcement stitch V V V V V Wirror imaging V V Wy V Sealistic preview of the patterns Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Knee lift V W Multi Function Foot Controller Optional Mechanical dual feed (walking foot) Oxidentic v V V V V V V V V V V V V V V V V V V V	Jump stitch trimmer			✓	✓
Lockstitch button ✓ ✓ Multi-directional sewing ✓ (up to 4 sideways) ✓ (up to 4 sideways) Adjustable thread tension manual automatic automatic Electronic slide speed control ✓ ✓ ✓ Combine stitches ✓ ✓ ✓ Speed control customised for zig-zag width ✓ ✓ ✓ Repeated single sewing ✓ ✓ ✓ Automatic reverse/ reinforcement stitch ✓ ✓ ✓ Mirror imaging ✓ ✓ ✓ My Custom Stitch™ ✓ ✓ ✓ Realistic preview of the patterns ✓ ✓ ✓ Patterns – size change, rotation, mirror, ✓ ✓ ✓ Font size selection (L-M-S) ✓ ✓ ✓ Text editing functions – multiple line text input free motion foot: optional free motion foot: optional Knee lift ✓ ✓ ✓ ✓ Multi Function Foot Controller optional optional optional Mechanical dual feed (walking foot) optional optional ✓ USB port	SFDS (Square Feed Drive System)	✓	✓		✓
Multi-directional sewing Adjustable thread tension manual automatic Adjustable thread tension manual automatic automatic automatic Adjustable thread tension Adjustable thread tension Multi-directional sewing Adjustable thread tension Manual automatic Automatic Automatic reversel control customised for zig-zag width Automatic reversel reinforcement stitch Aut	Adjustable presser foot pressure	electronic	electronic		electronic
Adjustable thread tension manual automatic automatic automatic Electronic slide speed control Combine stitches V Speed control customised for zig-zag width V Repeated single sewing Automatic reverse/ reinforcement stitch V Mirror imaging V V My Custom Stitch™ Realistic preview of the patterns Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Mechanical dual feed (walking foot) DISP port Automatic A Feremation free motion foot: optional free motion foot: optional automatic Automatic free motion foot: optional free motion foot: optional free motion foot: optional Automatic free motion foot: optional free motion foot: optional free motion foot: optional optional V V V V V V V V V V V V V	Lockstitch button	✓	✓		✓
Electronic slide speed control Combine stitches Y Speed control customised for zig-zag width Y Repeated single sewing Automatic reverse/ reinforcement stitch Wirror imaging Y Wy Custom Stitch™ Paelistic preview of the patterns Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Multi Function Foot Controller optional Mechanical dual feed (walking foot) USB port Y Y Y Y Y Y Y Y Y Y Y Y Y	Multi-directional sewing		✓ (up to 4 sideways)		✓ (up to 4 sideways)
Combine stitches Speed control customised for zig-zag width Fepeated single sewing Automatic reverse/ reinforcement stitch Wirror imaging Wy Custom Stitch™ Fealistic preview of the patterns Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery Multi Function Foot Controller Multi Function Foot Controller Optional Mechanical dual feed (walking foot) Description V V V V V V V V V V	Adjustable thread tension	manual	automatic	automatic	automatic
Speed control customised for zig-zag width **Pepeated single sewing **Automatic reverse/ reinforcement stitch **Automatic reverse/ reinforcement stitch **Mirror imaging **My Custom Stitch™ **Patterns – size change, rotation, mirror, **Font size selection (L-M-S) **Text editing functions – multiple line text input **Free motion embroidery **Multi Function Foot Controller **Multi Function Foot Controller **Optional **Mechanical dual feed (walking foot) **USB port **Automatic reverse/ reinforcement stitch **Automatic reverse/ reverse/ reverse/ reverse/ reverse/ reverse/ reverse/ reverse/ reverse/ revers	Electronic slide speed control	✓	✓		✓
Repeated single sewing Automatic reverse/ reinforcement stitch V Mirror imaging V V My Custom Stitch™ Realistic preview of the patterns Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Knee lift V V Multi Function Foot Controller optional Mechanical dual feed (walking foot) USB port V V V V V V V V V V V V V	Combine stitches	✓	✓		✓
Automatic reverse/ reinforcement stitch Automatic reverse/ reinforcement store Automatic	Speed control customised for zig-zag width	✓	✓		✓
Mirror imaging ✓ My Custom Stitch™ ✓ Realistic preview of the patterns Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Knee lift ✓ Multi Function Foot Controller optional Mechanical dual feed (walking foot) USB port	Repeated single sewing	✓	✓		✓
My Custom Stitch™ Realistic preview of the patterns Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Knee lift ✓ Multi Function Foot Controller Mechanical dual feed (walking foot) USB port ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Automatic reverse/ reinforcement stitch	✓	✓		✓
Realistic preview of the patterns Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Knee lift V Multi Function Foot Controller optional Mechanical dual feed (walking foot) USB port V V V V V V V V V V V V V	Mirror imaging	✓	✓		✓
Patterns – size change, rotation, mirror, Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Knee lift V Multi Function Foot Controller optional Mechanical dual feed (walking foot) USB port V V V V V V V V V V V V V	My Custom Stitch™	✓	✓		✓
Font size selection (L-M-S) Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Knee lift V Multi Function Foot Controller optional Mechanical dual feed (walking foot) USB port V V V V V V V V V V V V V	Realistic preview of the patterns			✓	✓
Text editing functions – multiple line text input Free motion embroidery free motion foot: optional Knee lift V V Multi Function Foot Controller optional Mechanical dual feed (walking foot) USB port Text editing functions – multiple line text input V V V V V V V V V V V V V	Patterns – size change, rotation, mirror,			✓	✓
Free motion embroidery free motion foot: optional optional free motion foot: optional free motion foot: optional free motion foot: optional free motion foot: optional optional free motion foot: optional free motion foot: optional optional free motion foot: optional free motion foot: optional optional free motion foot: optional optional optional optional optional optional free motion foot: optional optional optional optional optional optional free motion foot: optional optional optional optional optional optional optional optional free motion foot: optional free motion foot: optional optiona	Font size selection (L-M-S)			✓	✓
Knee lift V V Multi Function Foot Controller optional optional optional optional optional V USB port V V V V V V V V V V V V V	Text editing functions - multiple line text input			✓	✓
Multi Function Foot Controller optional optional optional optional Mechanical dual feed (walking foot) optional optional USB port Optional optional V V	Free motion embroidery	free motion foot: optional	free motion foot: optional		free motion foot: optional
Mechanical dual feed (walking foot) Optional Optional V V V	Knee lift	✓	✓		✓
USB port V V V V V V V V V V V V V	Multi Function Foot Controller	optional	optional		optional
	Mechanical dual feed (walking foot)	optional	optional		✓
Wireless connectivity ✓ ✓	USB port		✓	✓	✓
	Wireless connectivity			✓	✓









Brother Support App

At Brother we're always 'At your side' and will be with you every step of your sewing journey. Our tuitional movies and a support app are only a click away, so download today.

To get your creativity flowing we've produced some 'how-to' movies to help and inspire you, find them on our <u>website</u>.

Optional extras*

Want more hands-free sewing? Why not try the Brother MFFC2 Multi-Function Foot Control? Foot control for Start/Stop. Programme the heel kick and choose a function from thread cutter, sewing one stitch, reverse stitch or needle up/down.

Brother's walking foot (F085) means you'll tackle multi-layer quilts with ease, no matter what combinations of materials you use to make them.

*additional purchase required





For the full range of accessories available see sewingcraft.brother.eu









