

View this machine and more at:

https://www.thesewingstudio.co.uk



bernette for all my ideas





Do you want to give your clothes a professional look? Then you need the bernette 64 AIRLOCK with air threader. It's unbelievably easy to use and has all the features you need. Experience stitch quality at the highest level.



bernette 64 AIRLOCK

Introducing the bernette 64 AIRLOCK. The overlocker with an air threader to automatically thread the loopers. It's never been so easy to get started. The b64 AIRLOCK has even more to offer: the freearm makes it easy to sew sleeves and cuffs. You will love the large work surface to the right of the needle and the slide-on table. 5 LEDs ensure the working area is brightly lit. The presser foot can be lowered and temporarily raised using the bernette Free Hand System, so that your hands remain free to guide the fabric. With 16 different stitches to choose from and a sewing speed of up to 1300 stitches per minute, you will finish your project in no time!



Stitches Total number of stitch patterns 16 4-thread overlock 3-thread overlock (wide/narrow) 3-thread super-stretch stitch 3-thread super-stretch stitch 3-thread flatlock (wide/narrow) 3-thread flatlock (wide/narrow) 3-thread narrow seam 3-thread picot stitch 2-thread picot stitch 2-thread overlock (wide/narrow) 2-thread olled hem 3-thread super-stretch stitch 2-thread overlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread rolled hem 3-thread varapped overlock (wide/narrow) 3-thread tures Automatic air threader for looper threads 3-treearm 3-thread tension release when presser foot raised 3-thread tension release when presser foot raised 3-thread tension release when presser foot raised 3-titch length adjustable while sewing 3-titch length adjustable hile sewing 3-titch adjustable hile sewing 3	Overview of functions	b64 AIRLOCK
4-thread overlock 3-thread overlock (wide/narrow) 3-thread super-stretch stitch 3-thread flatlock (wide/narrow) 3-thread flatlock (wide/narrow) 3-thread narrow seam 3-thread rolled hem 3-thread picot stitch 2-thread overlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread rolled hem 3-thread wrapped overlock (wide/narrow) 3-thread treader for looper threads 3-thread wrapped overlock (wide/narrow) 3-thread tension release when presser foot raised 3-titch length adjustable while sewing 3-titch length adjustable	Stitches	
3-thread overlock (wide/narrow) 3-thread super-stretch stitch 3-thread flatlock (wide/narrow) 3-thread rolled hem 3-thread rolled hem 3-thread rolled hem 3-thread flatlock (wide/narrow) 3-thread rolled hem 3-thread flatlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread flatlock (wide/narrow) 3-thread rolled hem 3-thread resion release when presser foot raised 3-titch length adjustable while sewing 3-thread rolled hem lever under the stitch plate 4-titch adjustable while sewing 4-titch adjustable	Total number of stitch patterns	16
3-thread flatlock (wide/narrow) 3-thread rolled hem 3-thread picot stitch 3-thread picot stitch 3-thread picot stitch 3-thread picot stitch 3-thread rolled hem 3-thread wrapped overlock (wide/narrow) 3-thread wrapped overlock (wide/narrow) 3-thread wrapped overlock (wide/narrow) 3-thread tresion release when preser foot raised 3-thread tension release when preser foot raised 3-titch length adjustable while sewing 3-tocksories under the looper cover 3-ewing light 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-fety switch activated when cover is open 3-thread Control (mtc) 3-teDs 3-	4-thread overlock	~
3-thread flatlock (wide/narrow) 3-thread narrow seam 3-thread rolled hem 3-thread picot stitch 2-thread overlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread rolled hem 3-thread rolled hem 3-thread rolled hem 3-thread wrapped overlock (wide/narrow) 3-thread wrapped overlock raised 3-thread wrapped overlock presser foot 3-thread wrapped overloc	3-thread overlock (wide/narrow)	~
3-thread rolled hem 3-thread picot stitch 2-thread overlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread rolled hem 2-thread wrapped overlock (wide/narrow) Comfort features Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELX705 needle set	3-thread super-stretch stitch	~
3-thread rolled hem 3-thread picot stitch 2-thread overlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread rolled hem 2-thread wrapped overlock (wide/narrow) Comfort features Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELX705 needle set	3-thread flatlock (wide/narrow)	~
3-thread picot stitch 2-thread overlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread rolled hem 2-thread wrapped overlock (wide/narrow) Comfort features Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light 5 LEDs Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELX705 needle set	3-thread narrow seam	~
2-thread overlock (wide/narrow) 2-thread flatlock (wide/narrow) 2-thread rolled hem 2-thread wrapped overlock (wide/narrow) Comfort features Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light 5 LEDs Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELX705 needle set	3-thread rolled hem	~
2-thread flatlock (wide/narrow) 2-thread rolled hem 2-thread wrapped overlock (wide/narrow) Comfort features Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light S LEDs Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	3-thread picot stitch	~
2-thread rolled hem 2-thread wrapped overlock (wide/narrow) Comfort features Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	2-thread overlock (wide/narrow)	~
2-thread wrapped overlock (wide/narrow) Comfort features Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	2-thread flatlock (wide/narrow)	~
Comfort features Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	2-thread rolled hem	~
Automatic air threader for looper threads Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle 130 mm Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	2-thread wrapped overlock (wide/narrow)	~
Freearm Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Comfort features	
Color-coded threading paths Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Automatic air threader for looper threads	~
Thread tension release when presser foot raised Stitch length adjustable while sewing Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Freearm	~
Stitch length adjustable while sewing Accessories under the looper cover Sewing light S LEDs Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Color-coded threading paths	~
Accessories under the looper cover Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Thread tension release when presser foot raised	~
Sewing light Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Stitch length adjustable while sewing	~
Safety switch activated when cover is open Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Accessories under the looper cover	~
Micro Thread Control (mtc) Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Sewing light	5 LEDs
Free Hand System (FHS) including knee lifter Technical data Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Safety switch activated when cover is open	~
Technical data Space to the right of the needle 130 mm Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) 1300 Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Micro Thread Control (mtc)	~
Space to the right of the needle Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Free Hand System (FHS) including knee lifter	/
Manual thread cutter Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Technical data	
Overlock stitch width 5-7 mm 7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) 1300 Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Space to the right of the needle	130 mm
7-step presser foot adjustment Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Manual thread cutter	✓
Rolled hem lever under the stitch plate Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Overlock stitch width 5-7 mm	✓
Maximum sewing speed (stitches per minute) Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	7-step presser foot adjustment	✓
Standard accessories Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Rolled hem lever under the stitch plate	✓
Standard overlock presser foot Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Maximum sewing speed (stitches per minute)	1300
Upper looper converter Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Standard accessories	
Freearm cover Deco guide Cut-offs bin BERNINA ELx705 needle set	Standard overlock presser foot	~
Deco guide Cut-offs bin BERNINA ELx705 needle set	Upper looper converter	~
Cut-offs bin BERNINA ELx705 needle set	Freearm cover	~
BERNINA ELx705 needle set	Deco guide	~
	Cut-offs bin	~
Extension table	BERNINA ELx705 needle set	~
	Extension table	~

Not all models and accessory components are available in all countries. Subject to changes in features and design.





Sewing instructions for a stylish tunic wrap

This wrap tunic has an extremely casual and sophisticated style. It can be worn with jeans or over a dress, making it incredibly versatile. The wrap technique works entirely without buttons or other closures.

For sewing instructions, including the pattern, visit: www.bernette.com/wrap-tunic





bernette 64



