

View this machine and more at:


https://www.thesewingstudio.co.uk


Stitch Overview


The settings shown in the table below are our recommendations based on normal conditions. It may be necessary to adjust the thread tension depending on the stitch, type of fabric and thread you are using. For best results make tension adjustments in small increments of no greater than half a number at a time. Always test sew on a sample of your fabric before sewing on your project.

In the table below, different fabric weights and types are explained. For you to better understand how the stitches are formed, each of the threads are displayed in different shades of grey.

Explanation of Icons/Colors








3-Thread Overlock, Wide (and Narrow)

For sewing two layers of stretchy fabric or overcasting a single layer of light to medium fabric. Use heavier threads in the loopers to create decorative edges.

Note: Use the right needle instead for a narrow stitch. Recommended thread tension settings within brackets in the chart.

	2000000			20	THREAD TENSION								
Π	STAT S		NORM/ TIGHT	N/R		T		7		*		~	
Left	1.0~1.5	3	NORM	N	ı	3	(-)	-	(3)	3	(3)	3	(3)




3-Thread Narrow Edge

For sewing two layers of stretchy fabric or overcasting a single layer of light fabric. Popular for creating decorative tucks. Use decorative threads in the loopers and regular thread in the needle. Use different colors in the loopers to get an interesting effect.

Note: Not recommended for heavy weight fabrics.

	دددس		NORM/		20	THREAD TENSION						
l II	كتنك		TIGHT	N/R			7	*	•			
Right	1.0	R	NORM	R	-	-	4	1~3	3			



3-Thread Rolled Edge

For edging lightweight fabrics. It gives a nice finish on silky scarves, pillow ruffles and napkins. For a beautiful rolled edge, thread the loopers with a decorative lightweight thread, such as 40 weight rayon, for a beautiful satin edge and the needle and lower looper with lightweight regular thread.

Note: Not recommended for heavy weight fabrics.


	دددساد		NORM/			THREAD TENSION						
III	كتنت		TIGHT	N/R		F	7	*	8			
Right	1.0	R	TIGHT	R	-	-	3~4	1~3	3			



3-Thread Picot Edge

Increased stitch length will form a picot edge on your fabric. This edge is a nice way to give a decorative finish to wedding or bridesmaid dresses.

	دددس		NORM/	N/D		THREAD TENSION						
11	كثنث		TIGHT	N/R			7	*	•			
Right	1.0	3-4	TIGHT	R	-	-	2-4	3	3-4			




3-Thread Flatlock, Wide (and Narrow)

For sewing fabrics together with a decorative effect either with the flatlock side or the ladder stitch side. Create varying effects by threading the loopers with decorative thread, such as 40 weight rayon.

Note: Use the right needle instead for a narrow stitch. Recommended thread tension settings within brackets in the chart.

	2222.22		NORM/			THREAD TENSION								
Π	The		TIGHT	N/R	N/R		T		7		*		5	
Left	1.0	3~4	NORM	N	-	0-2	(-)	1	(0)	0	(0)	8-9	(3-7)	




3-Thread Stretch Overlock

For sewing extra stretchy fabrics. Add additional stretch by using a stretchy type thread in the lower looper. Change the thread tension accordingly.

Note: Not recommended for heavy weight fabrics.

	دددس		NORM/		20	THREAD TENSION						
₩	كتتنا		TIGHT	N/R		F	•	*				
Both	1.0	2-3	NORM	N	Yes	3	2	-	1-2			




2-Thread Overedge, Wide (and Narrow)

For overcasting a single layer of light to medium weight fabrics (2-thread overlock converter required).

Note: Use the right needle instead for a narrow stitch. Recommended thread tension settings within brackets in the chart.

	202000		NORM/					TH	READ	TENSI	ON		
Π	The same		TIGHT	N/R		T		7				•	
Left	1.0	2~3	NORM	N	Yes	0	(-)	-	(0)	_	(-)	9	(9)




2-Thread Wrapped Overlock, Wide (and Narrow)

Gives a beautiful finish to lightweight fabrics (2-thread overlock converter required).

Note: Use the right needle instead for a narrow stitch. Recommended cut width and thread tension settings within brackets in the chart.

	2000000		NORM/			THREAD TENSION								
Π	The same		TIGHT	N/R		Ţ		7		4		•		
Left	1.0	2~3	NORM	N	Yes	4~6	(-)	_	(5~7)	-	(-)	1-3	(4~6)	




2-Thread Rolled Edge

For edging lightweight fabrics. It gives a nice finish on silky scarves, pillow ruffles and napkins. Thread the looper with a decorative lightweight thread, such as 40 weight rayon for a beautiful satin edge (2-thread overlock converter required).

Note: Not recommended for heavy weight fabrics.

	دوساور		NORM/			THREAD TENSION						
\prod	كتلفك		TIGHT	N/R				\$				
Right	1.0	R	NORM	R	Yes	-	5	-	(4~6)			



2-Thread Flatlock

For sewing stretchy fabrics together with a decorative effect either with the flatlock side or the ladder stitch side. Create varying effects by threading the loopers with decorative thread. (2-thread overlock converter required)

	دوسي		NORM/			THREAD TENSION						
$\mid \Pi \mid$	كتنت		TIGHT	N/R		Ţ	7	*				
Left	1.0	3-4	NORM	N	Yes	0-1	-	-	6-9			