



View this machine and more at:

<https://www.thesewingstudio.co.uk>

Semi-professional Embroidery Machines

Accessories Guide

Our wide variety of frames give you the versatility to embroider an extended range of products.



Entrepreneur Pro X

PR1055X



10-Needle Home Embroidery Machine
with Built-in Camera

Maximum sewing area:
360 × 360 mm (14 × 14 in)

Entrepreneur 6-Plus

PR670E



6-Needle Home Embroidery Machine
with LED Positioning Marker

Maximum sewing area:
300 × 200 mm (12 × 8 in)

VR



1-Needle Home Embroidery Machine
with LED Positioning Marker

Maximum sewing area:
200 × 200 mm (8 × 8 in)

PR and VR Series Features

- Extensive range of accessories
- LCD Screen
- Portability
- Automatic Needle Threading
- Automatic Frame Detector
- Wide variety of built-in designs and fonts

Easy hooping and centering with scratch-free

Flat brim cap frame

PRCF5

	PR1055X/PR1050X	PR670E/PR655	VR
130 x 60 mm (5 x 2.4 in)	✓	✓	✓



Can go close to the brim, included brim cover



Sliding and ratchet frame fixing



Wider range of caps can be used

Embroider completed caps

Cap Frame

PRCF3

	PR1055X/PR1050X	PR670E/PR655	VR
130 x 60 mm (5 x 2.4 in)	✓	✓	✓



Set cap directly onto the machine



Stretch the cap over the frame



Embroider over a wider cap area


Wide Cap Frame

PRPCF1

	PR1055X/PR1050X	PR670E/PR655	VR
360 x 60 mm (14 x 2.4 in)	✓		



Embroider right up to the edge



4 sections to which embroidery can be applied



Wider area for embroidery designs

Hooping thick materials with ease, avoid fabric shifting

Magnetic sash frame

PRMS360

	PR1055X/PR1050X	PR670E	VR
360 × 200 mm (14 × 8 in)	✓	✓ *	

*300 × 200 mm on 6 needle machine



Easy hooping, only add magnet pieces



Holds thick materials



Easy to connect pattern, only slide the material



Included magnet lifter, easy to remove the magnetic pieces



Good for quilt sashing, too



Wide embroidery area

One hand operation for attaching and extending

Tubular frame table

PRTT1

PR1055X/PR1050X	PR670E	VR
✓	✓	✓



One hand operation for attaching and extending



Minimum space with storing flat mechanism



Supporting heavy tubular materials

Embroider large designs by hooping only once

Jumbo Frame

PRPJF360

	PR1055X/PR1050X	PR670E/PR655	VR
360 × 360 mm (14 × 14 in)	✓		



Embroider half the design with the garment hooped once



Rotate the frame when half the design is complete and embroider the rest of the design.

Apply embroidery to shoes and other pieces that were previously difficult to embroider

Clamp Frame

PRCLP45B/PRCLP45LR/
VRCLP45B



	PR1055X/PR1050X	PR670E/PR655	VR
45 × 24 mm (1.7 × 1 in)	✓	✓	✓
L: 45 × 24 mm (1.7 × 1 in)	✓	✓	
R: 45 × 24 mm (1.7 × 1 in)	✓	✓	



Set larger shoes



Embroider the tongues of shoes



The VR is compatible with the straight type only



Embroider the collars of polo shirts

Easiest framing with strong holding power, yet no hoop burn

Clamp Frame M

PRCLP100B/
VRCLP100B



	PR1055X/PR1050X	PR670E/PR655	VR
100 × 100 mm (4 × 4 in)	✓	✓	✓



Ideal for tote bag, from thin to thick material



Easiest framing - just click and snap




Double-sided frame surface to cover both woven and slippery material

Embroidery is easy even for those parts that offer little stretch such as pockets

Compact Frame/S Frame

PRSFK1

	PR1055X/PR1050X	PR670E/PR655	VR
38 × 44 mm (1.5 × 1.7 in)	✓	✓	✓
41 × 70 mm (1.6 × 2.7 in)	✓	✓	✓
33 × 75 mm (1.3 × 2.9 in)	✓	✓	✓
50 × 50 mm (2 × 2 in)	✓	✓	✓



Embroidery is possible even in small spaces such as pockets, and support for automatic frame detection ensures both safety and peace-of-mind

Perfect for vertically long areas

Sleeve Frame

PRHSL200

	PR1055X/PR1050X	PR670E/PR655	VR
70 × 200 mm (2.7 × 8 in)	✓	✓	



Jacket and jumper sleeves can also be embroidered



Can also be used for infant rompers and children's shirts

Perfect for embroidery of vertically long areas such as pants and sleeves

Original designs can be embroidered

Scan Frame

PRSCANFKIT1

	PR1055X/PR1050X	PR670E/PR655	VR
300 x 200 mm (12 x 8 in)	✓		

Included in PR1055X



Set printed image on the frame



Secure with the magnets



Scan and import the image with My Design Center



The imported image can be edited and converted into embroidery data.

Achieve professional finish with easy framing

Magnetic Frame

PRMFA50

	PR1055X/PR1050X	PR670E/PR655	VR
50 x 50 mm (2 x 2 in)	✓	✓	✓



Simple framing, without tightening thumb screw.



Ideal for materials vulnerable to hoop burn, such as stretch fabric or knit.

Ideal for embroidering continuous designs such as those on curtains and skirts

Border Frame

PRPBF1/
VRBF180

	PR1055X/PR1050X	PR670E/PR655	VR
300 × 100 mm (12 × 4 in)	✓	✓	
180 × 100 mm (7 × 4 in)			✓



Easy to embroider continuous designs on large pieces of cloth



Remove the frame in one step



Simply slide the cloth and fit the frame



The VR offers a 180 mm × 100 mm sewing range

Apply the frame over a specific area

Round Frame

PRPRFK1/
VRRFK1

	PR1055X/PR1050X	PR670E/PR655	VR
Φ100 mm (4 in) (dia)	✓	✓	✓
Φ130 mm (5 in) (dia)	✓	✓	✓
Φ160 mm (6 in) (dia)	✓	✓	✓



Set the garment in any direction, as long as the center of the frame is where you want it



Easily adjust designs that need to be properly aligned

Square frame to suit quilt designs

Quilt Frame

PRPQF200/
VRFF200

	PR1055X/PR1050X	PR670E/PR655	VR
200 × 200 mm (8 × 8 in)	✓	✓	✓



Square frame to make aligning quilt patterns and other embroidery positions easy



The square shape of the frame also makes it ideal for planning quilt designs

Excess cloth on larger pieces no longer gets in the way when embroidering

Flat Frame

PRF300

	PR1055X/PR1050X	PR670E/PR655	VR
300 x 200 mm (12 x 8 in)	✓	✓	



Cloth outside the frame is kept on top of the frame and out of the way



Even large pieces of cloth can hang over to the upper side of the arm

Ideal for embroidering cylindrical sections

Cylinder Frame

PRCL1

	PR1055X/PR1050X	PR670E/PR655	VR
90 x 80 mm (3.5 x 3 in)	✓	✓	✓



Easily stretch shirt sleeves, trousers, bags and other similar shapes



Stretch the piece over the special frame



Apply embroidery only around cuffs

Other accessories

	PR1055X/PR1050X	PR670E	VR
Bobbin Winder	✓	✓	✓
Wide Table	✓	✓	✓
Embroidery Stand	✓	✓	✓
Free Motion Kit			✓


Bobbin Winder

PRBW1



Wide Table

PRWT1/VRWT1



Embroidery Stand

PRNSTD2/VRPRNSTD



Free Motion Kit

VRFMK1



Main Specifications and Functions

	PR1055X	PR670E	VR
Number of needles	10	6	1
Speed adjustment	Individual Needle Speed adjustable from 400 to 1000 spm*(Frames); 400 to 600 spm (Caps/Cylinder/Clamps)		
Maximum sewing area (W × H)	360 × 360 mm (Wide cap frame: 360 × 60 mm) 14 × 14 in (Wide cap frame: 14 × 2.4 in)	300 × 200 mm (Cap frame: 130 × 60 mm) 12 × 8 in (Cap frame: 5 × 2.4 in)	200 × 200 mm (Cap frame: 130 × 60 mm) 8 × 8 in (Cap frame: 5 × 2.4 in)
Maximum sewing area of included frame (W × H)	360 × 200 mm 14 × 8 in	300 × 200 mm 12 × 8 in	200 × 200 mm 8 × 8 in
LCD	WVGA 1280 × 800 IPS 16,777,216 colours	WVGA 1280 × 800 IPS 16,777,216 colours	WVGA 800 × 480 TFT 260,000 colours
Input	2 USB ports (2.0)/1 PC connection (2.0)	2 USB ports (2.0)/1 PC connection (2.0)/1 SD card	1 USB ports/1 PC connection
Built in fonts	37	37	20
Built in design	944	640	305
Automatic needle threading	Yes	Yes	Yes
Needle position confirming	Camera/Live Camera	LED pointer	LED pointer
Manual color sequence	Yes	Yes	No
Sewing speed setting	Yes	Yes	No
Single colour sewing	Yes	Yes	Yes
Colour sort	Yes	Yes	Yes
Built-in tutorial videos	29	16	No
WLAN function	Yes	No	No

* spm: stitches per minute

PR Series Arm/Frame Compatibility

		Models	PR1055X					PR670E					VR				
		Arm	A	B	C	D	E	A	B	C	D	E	a	b	c	d	e
Frame	Sewing area (mm)	Label sign	A	B	C	D	E	A	B	C	D	E	a	b	c	d	e
Tubular	60 × 40	(No label)	✓					✓					✓				
	100 × 100	(No label)	✓					✓					✓				
	180 × 130	(No label)	✓					✓					✓				
	300 × 200	(No label)	✓					✓									
	360 × 200	(No label)	✓														
Flat	300 × 200	(No label)	✓					✓									
Quilt	200 × 200	B		✓					✓								
Border	300 × 100	B		✓					✓								
Jumbo	360 × 360	B		✓													
Sleeve	70 × 200	B		✓					✓								
Round	Φ100	C			✓					✓					✓		
	Φ130	C			✓					✓					✓		
	Φ160	C			✓					✓					✓		
Clamp	45 × 24	D				✓					✓					✓	
	L: 45 × 24	D				✓					✓						
	R: 45 × 24	D				✓					✓						
	M: 100 × 100	D				✓					✓					✓	
Tubular	200 × 200	a											✓				
Quilt	200 × 200	a											✓				
Border	180 × 100	b												✓			
S	38 × 44	e					✓					✓					✓
	41 × 70	e					✓					✓					✓
	33 × 75	e					✓					✓					✓
	50 × 50	e					✓					✓					✓
Magnetic	50 × 50	e					✓					✓					✓